



GFRG, which is formed by the combination of high density, strong alpha gypsum and glass fiber, brings a new approach to wall panels with its superior physical properties and environmental sensitivity. Alpha gypsum has become indispensable for many sectors thanks to its higher density, high strength, hardness and superior detail ability compared to conventional gypsum kinds. Alpha gypsum, which is used in many professions from sculpture to ceramics, from dental prosthesis to machine parts, forms the heart of Dekkap GFRG wall panels. When the strong structure of alpha gypsum combines with glass fiber reinforcement, a smooth surfaced and long-lasting wall panel that is highly resistant to scratch and impact emerges.



GOOD FOR

Fine detail capability

High impact and scratch resistance

Smooth surface

Long life

Humidity control

Incombustable

Healthy touch

Compatibility with green buildings

Recycleability

Ease of installation

Monoblock application

Easy repair

Paintable

Quick adaptation

Production speed

Modular structure

Model variety

Spa & Wellbein





VARIATION

Having the ability to adapt quickly due to its nature and production method, GFRG is capable of responding quickly to new developments and customer demands. Where the dynamics of the world change faster every second, it becomes more and more important to adapt and improve rapidly. All with our teamwork, creativity and energy, Dekkap GFRG is able to provide model diversity, good design, sales and support.

Repetitive panels make up the majority of models. In some models, more flexible applications are possible by applying several modules in different combinations. Thanks to its modularity and ease of assembly, it paves the way for even the classic home user to decorate their own home with their own taste. Thanks to its jointless monoblock application capability, long-lasting, healthy and unique interiors are now much easier.





























